


Excellence in seaming



3511

Efficient sewing unit
for run-stitching small parts


PFAFF 3511

Applications:


For simultaneous run-stitching and trimming small parts such as flaps, waistband extensions, shoulder flaps, cuffs etc.

Advantages:

- Constant seam quality with the use of jigs
 - Simple operation, short training times
 - Automatic application of fullness*
 - Simple change to another size or a different article
 - Free seam programming directly on the machine
 - Overlapping production method with the use of the sequence control unit
 - Existing sewing jigs from the PFAFF 9083 can be used
 - An attractive feature of the PFAFF 3511 is the outstanding price-performance ratio
-
- High output owing to the fully overlapped work method with the use of two sewing jigs. During the sewing operation another workpiece can already be placed in a second jig.



* not possible when using the double sewing jig



Optional equipment:

1 sewing jig for flaps and waistband extensions	--> Item number: 95-300 324-70
1 sewing jig for shoulder flaps and cuffs	--> Item number: 95-300 325-70
1 standard SD card with box <i>Is required when ordering sewing jigs on a data carrier!</i>	--> Item number: 71-8900 0014
Needleplate for trimming margin 3.5 mm	--> Item number: 91-150 890-03/001

New

1 double sewing jig for flaps	--> Item number: 95-300 324-70
1 double sewing jig for shoulder flaps and cuffs	--> Item number: 95-300 325-70



Specifications:

Stitch type:

301 (lockstitch)

Needle system:

134 KK

Needle size in 1/100 mm:

80 -100

Max. stitch length:

3.5 mm

Max. speed:

3000 s.p.m

**Trimming margin
(depends on version)**

3.5 or 5.0 mm

Bed-plate dimensions:

476 x 177 mm

Dimensions of machine:

Length: approx. 1250 mm

Width: approx. 800 mm

Height : approx. 300 mm
(above table)

Power supply:

230 V, 50/60 Hz

Max. output:

400 VA

Working air pressure:

6 bar

Air consumption:

15 l/work cycle

Net weight:

approx. 105 kg

Gross weight:

approx. 176 kg

**PFAFF Industriesysteme
und Maschinen GmbH**

Hans-Geiger-Str. 12 – IG Nord

D-67661 Kaiserslautern

Telefon: +49-6301/3205-0

Telefax: +49-6301/3205-3171

E-mail: info@pfaff-industrial.com

Website: www.pfaff-industrial.com